


Title	Guidance notes for the production of discovery metadata for the Marine Environmental Data and Information Network (MEDIN)
MEDIN Discipline	Discovery Metadata
Author(s)	Becky Seeley (DASSH), James Rapaport, (SeaZone), Olivia Merritt (SeaZone), Mark Charlesworth (BODC), Sean Gaffney (BODC).
Document Owner	Marine Environmental Data Information Network (MEDIN) Standards Working Group
Licence	This work is licensed under the Creative Commons Attribution 4.0 International License. To view a copy of this license, visit http://creativecommons.org/licenses/by/4.0/ or send a letter to Creative Commons, PO Box 1866, Mountain View, CA 94042, USA.
	
Reviewed by	MEDIN Standards Working Group
Date reviewed	18 May 2020
Version	3.1
Date approved and published on MEDIN website	08 July 2020
Date last checked for accuracy	08 July 2020
Summary	Version of the discovery metadata standard for resources submitted to the Marine Environmental Data Information Network. This version is the 'short' version, which excludes XML examples and Annexes
Keywords	Discovery Metadata

Metadata standards are evolving at an international level and these guidelines are therefore subject to change.

It is recommended that you use a download of this document from the Marine Environmental Data and Information Network (MEDIN) website (www.medin.org.uk) rather than storing a local copy. A log of changes will be available on the website.

MEDIN Elements

1.	Introduction	4
2.	Data Discoverability	4
2.1	Date and time formatting	5
3.	Using this document.....	5
4.	Elements for identifying a resource.....	7
	Element 1 - Resource title (M).....	7
	Element 2 - Alternative resource title (O).....	7
	Element 3 - Resource abstract (M).....	7
	Element 4 - Resource type (M).....	8
	Element 31 – Hierarchy level name (C).....	9
	Element 5 - Resource locator (C)	9
	Sub Element 5.1 - Resource locator URL (C)	9
	Sub Element 5.2 - Resource locator name (O)	9
	Sub Element 5.3 - Resource function (O)	9
	Sub Element 5.4 - Resource locator description (C).....	9
	Element 6 - Unique resource identifier (C)	10
	Sub Element 6.1 - Code (M)	10
	Sub Element 6.2 - Code Space (O)	11
	Element 7 - Coupled resource (C).....	11
	Element 8 - Resource language (C)	11
5.	Elements classifying spatial data and services	13
	Element 9 - Topic category (C)	13
	Element 10- Spatial data service type (C)	13
	Element 32 – Spatial representation type (C)	13
	Element 11 - Keywords (M)	14
	Sub Element 11.1 - Keyword value (M)	15
	Sub Element 11.2 - Originating controlled vocabulary (M).....	15
	Element 12 - Geographic bounding box (C)	16
	Sub element 12.1 - West bounding longitude (M).....	17
	Sub element 12.2 - East bounding longitude (M).....	17
	Sub element 12.3 - North bounding latitude (M)	17
	Sub element 12.4 - South bounding latitude (M)	17
	Element 13 - Extent (O).....	17
	Sub element 13.1 - Extent name (M).....	18
	Sub element 13.2 - Originating controlled vocabulary (M)	18
	Element 14 - Vertical extent information (C).....	19
	Sub element 14.1 - Minimum Value (M).....	19
	Sub element 14.2 - Maximum Value (M).....	19
	Sub element 14.3 - Vertical coordinate reference system (M)	20
	Element 15 - Spatial reference system (M).....	20
	Sub element 15.1 - Code (M)	20
	Sub element 15.2 - Originating controlled vocabulary (O)	21
	Element 16 - Temporal reference (M)	21
	Sub element 16.1 - Date of publication (M)	22
	Sub element 16.2 - Date of last revision (C)	22
	Sub element 16.3 - Date of creation (C)	22
	Sub element 16.4 - Temporal extent (C)	23
6.	Elements describing data quality.....	25

Element 17 - Lineage (C)	25
Element 18 - Spatial resolution (C)	26
Sub Element 18.1- Distance (C)	26
Sub Element 18.2 - Equivalent scale (O)	27
Element 19 - Additional information (O)	27
7. Elements relating to data usage	28
Element 20 - Limitations on public access (M)	28
Sub element 20.1 – Access Constraints (M)	28
Sub element 20.2 – Other Constraints (M)	28
Element 21 - Conditions applying for access and use (M)	29
Sub element 21.1 – Use Constraints (M)	29
Sub element 21.2 – Other Constraints (M)	29
Element 22 - Responsible party (M)	29
Sub element 22.1 - Originator (M)	30
Sub element 22.2 - Custodian (M)	30
Sub element 22.3 - Distributor (M)	30
Sub element 22.4 - Metadata point of contact (M)	30
Sub element 22.5 - Owner (M)	30
Element 23 - Data format (C)	32
Sub Element 23.1 - Name of format (M)	32
Sub Element 23.2 - Version (M)	33
Element 33 – Character encoding (C)	33
Element 24 - Frequency of update (C)	33
8. Elements relating to Conformity	35
Element 25 – Conformity (M)	35
Sub element 25.1 - Specification (M)	35
Sub element 25.2 - Degree of conformity (M)	35
Sub element 25.3 - Explanation (M)	36
9. Elements relating to metadata	37
File Identifier (M)	37
Element 26 - Metadata date (M)	37
Element 27 - Metadata standard name (M)	37
Element 28 - Metadata standard version (M)	38
Element 29 - Metadata language (M)	38
Element 30 – Parent ID (O)	38

1. Introduction

There has been a request by the wider community to produce a simpler guide to the MEDIN Discovery Metadata Standard. This document fulfils that need and is largely a thinned down version of the full guidance document, without any xml examples or annexes. Metadata standards are essential to enable easy discovery, evaluation and use of resources. In most cases within MEDIN the resource will be a dataset, however model outputs and services such as web mapping services and data download services are also included. Different sorts of standards are applied for discovering a dataset, service or series (collectively known as resources), evaluating its fitness for purpose and in providing the information required to use it. This standard is one that sets out a specific format to record details of a resource so that in the future other people can easily discover resources that may be of use to them. It is therefore termed a 'metadata discovery standard' and this document sets out the format used by the Marine Environmental Data Information Network (MEDIN). All metadata released via the MEDIN portal must comply with a number of international and national metadata standards. The MEDIN metadata schema is based on the ISO 19115:2003 standard, and includes all core INSPIRE metadata elements. It also complies with the UK GEMINI 2.3 metadata standard. The xml produced conforms to the ISO 19139 standard for xml implementation.

This document is designed to assist those creating metadata for MEDIN and provides guidance on how to complete each element. Please refer to the INSPIRE metadata implementing rules, <http://inspire.jrc.ec.europa.eu/> rules and UK GEMINI 2.3 specification <https://www.agi.org.uk/gemini/40-gemini/1037-uk-gemini-standard-and-inspire-implementing-rules> for additional information. In writing this document reference has been made to the Technical Guidance for the implementation of INSPIRE dataset and service metadata based on ISO/TS 19139:2007 (see guidelines at <http://inspire.ec.europa.eu/document-tags/metadata>)¹.

Metadata standards may change over time. It is recommended that this document is downloaded regularly to ensure the most current version is in use

2. Data Discoverability

It is important that other users of MEDIN can find out how to access the raw data or products by using the information held in this standard. Therefore, where available, links should be provided to web pages and/or contact details of the organisation or person who holds the dataset. If there is a direct web link to the dataset or service then it should be stated in Element 5 'Resource Locator'. Further information such as related documents and links to other portals that may also hold information on the dataset, should be given in Element 19 'Additional Information' and the contact details of the organisation or person who holds the dataset should be given in Element 22 'Responsible Party'.

MEDIN recommends that required contact information represents the organisation rather than any individual responsible for the relevant role (e.g. owner, originator). The job title of a contact within the organisation should also be supplied e.g. Data Support Officer. Only in circumstances where organisation and job title cannot be provided should contact details for an individual be given instead.

If intending to supply an individual's contact information, the application of the European

¹ INSPIRE Metadata Implementing Rules: Technical Guidelines based on EN ISO 19115 and EN ISO 19119, 2009-02-18, Version 1.1, MD_IR_and_ISO_20090218.

Technical Guidance for the implementation of INSPIRE dataset and service metadata based on ISO/TS 19139:2007

Union General Data Protection Regulation (GDPR), through the UK Data Protection Act (2018), shall be taken into account by the metadata creator. Personal information, such as name, email, address, phone number shall not be provided by the metadata creator without the express permission of the subject. This information becomes publicly available once the metadata record is added to the MEDIN portal and the owner of such information must be made aware of this and give consent prior to publication of the record. Metadata creators should be aware of this public exposure of their personal information when supplying their own details.

Often it is difficult to decide if the data that has been collected constitutes one dataset or many - this is called 'granularity'. It is important to get the level or 'granularity' correct otherwise it is possible to end up with either too many or too few records which makes it difficult for a user to find what they want via a portal. MEDIN has some practical guidance to help you decide:

- The correct level for a dataset is a cruise, survey or a set of repeat observations with a common purpose.
- A dataset usually constitutes a specifically-funded piece of work.
- The dataset should be easily extractable from a database for a 3rd party.
- If you are searching for a dataset using a portal and get the result every time you search by different combinations of time, location and parameter then it is probably too coarse.

2.1 Date and time formatting

Date and time are key components of geospatial discovery metadata, enabling users to locate the temporal range of the data resources they are interested in. In order for these times to be of use however, they must be standardized. Therefore, MEDIN require that all times and dates in the MEDIN Discovery Metadata Standard be formatted in accordance to UK GEMINI's use of ISO 8601. The specific rules to follow are:

1. Dates may be to any degree of precision, from year (YYYY) to full date and time.
2. The extended date format (YYYY-MM-DD) should be used, where YYYY is the year, MM the month and DD the day.
3. If required, time (HH:MM:SS, where HH is the hour, MM the minute and SS the second) may be added, with T separating the two parts.
4. Periods are recorded as {fromdate/todate} (e.g. 2006-04-01/2007-03-31). Either fromdate or todate (but not both) may be left blank to indicate uncertainty.
5. There may be more than one Temporal Extent.
6. The coarsest resolution allowable is 'year'.

3. Using this document

This document outlines the elements that make up the MEDIN discovery metadata standard. It encompasses the INSPIRE standards which specifically cover datasets, series of datasets and services² (e.g. web services). In addition MEDIN allows metadata on other data types such as reports to be created. The elements required for MEDIN Discovery Metadata are listed below in this document. The table details each element and corresponding requirement level, depending on the resource type being described.

² See Element 4 resource type for definition of a 'service'

Element Number	Element Name	Requirement level for dataset or series	Requirement level for services
1	Resource title	Mandatory	Mandatory
2	Alternative resource title	Optional	Optional
3	Resource abstract	Mandatory	Mandatory
4	Resource type	Mandatory	Mandatory
5	Resource locator	Conditional	Conditional
6	Unique resource identifier	Mandatory	N/A ³
7	Coupled Resource	N/A	Conditional
8	Resource language	Mandatory	N/A
9	Topic category	Mandatory	N/A
10	Spatial data service type	N/A	Mandatory
11	Keywords	Mandatory	Mandatory
12	Geographical bounding box	Mandatory	Conditional
13	Extent	Optional	Optional
14	Vertical extent information	Conditional	Conditional
15	Spatial reference system	Mandatory	Mandatory
16	Temporal reference	Mandatory	Mandatory
17	Lineage	Mandatory	N/A
18	Spatial resolution	Conditional	N/A
19	Additional information	Optional	N/A
20	Limitations on public access	Mandatory	Mandatory
21	Conditions applying for access and use	Mandatory	Mandatory
22	Responsible party	Mandatory	Mandatory
23	Data format	Mandatory	N/A
24	Frequency of update	Mandatory	Conditional
25	Conformity	Mandatory	Mandatory
26	Metadata date	Mandatory	Mandatory
27	Metadata standard name	Mandatory	Mandatory
28	Metadata standard version	Mandatory	Mandatory
29	Metadata language	Mandatory	Mandatory
30	Parent ID	Optional	Optional
31	Hierarchy level name	Conditional	Mandatory
32	Spatial representation type	Mandatory	N/A
33	Character encoding	Conditional	N/A

³ N/A – this element should not be populated when generating discovery metadata for this resource type

4. Elements for identifying a resource

Element 1 - Resource title (M)

Mandatory element. Only one occurrence allowed. Free text.

The title is used to provide a brief and precise description of the resource, which in most cases will be a dataset. MEDIN recommend the following format:

'Date' 'Originating organisation/programme' 'Location' 'Type of survey'. It is advised that acronyms and abbreviations are reproduced in full. Example: Centre for Environment, Fisheries and Aquaculture Science (Cefas).

If acronyms cannot be reproduced in full in the Title element, they must be fully expanded in one of the Resource Abstract or Alternative Resource Title elements.

Example 1

1992 Centre for Environment, Fisheries and Aquaculture Science (Cefas) North Sea 2m beam trawl survey.

Example 2

1980-2000 Marine Life Information Network UK (MarLIN) Sealife Survey records.

Element 2 - Alternative resource title (O)

Optional element. Multiple occurrences allowed. Free text.

The purpose of alternative title is to record any additional names by which the resource (e.g. dataset) may be known and may include short name, other name, acronyms or alternative language title e.g. Welsh language title of the same resource. If including acronyms in the text, they should be expanded in full if the full term has not been stated in the Resource title element.

Example

1980-2000 MarLIN Volunteer Sighting records.

Element 3 - Resource abstract (M)

Mandatory element. Only one resource abstract allowed. Free text.

The abstract should provide a clear and brief statement of the content of the resource (e.g. dataset). It shall be a minimum of 100 characters in length and shall not be a duplicate of the title. Metadata creators should include what has been recorded, what form the data takes, what purpose it was collected for, and any limiting information, i.e. limits or caveats on the use and interpretation of the data. Background methodology and quality information should be entered into the Lineage element (Element 17). It is recommended that acronyms and abbreviations are reproduced in full e.g. Centre for Environment, Fisheries and Aquaculture Science (Cefas).

Restrictions relating to spatial resolution for metadata for services shall be expressed in

Resource abstract if they exist, and not in Element 18 Spatial Resolution.

Example 1

Benthic marine species abundance data from an assessment of the cumulative impacts of aggregate extraction on seabed macro-invertebrate communities. The purpose of this study was to determine whether there was any evidence of a large-scale cumulative impact on benthic macro-invertebrate communities as a result of the multiple sites of aggregate extraction located off Great Yarmouth in the North Sea.

Example 2

As part of the UK Department of Trade and Industry's (DTI's) ongoing sectorial Strategic Environmental Assessment (SEA) programme, a seabed survey programme (SEA2) was undertaken in May/June 2001 for areas in the central and southern North Sea UKCS. This report summarizes the sediment total hydrocarbon and aromatic data generated from the analyses of selected samples from two main study areas:

Area 2: the Dogger Bank in the SNS; and

Area 3: the pockmarks in the Fladen Ground vicinity of the central North Sea (CNS).

Example 3

The effects of a recent dumping of spoil in a licensed dumping ground within the Salcombe and Kingsbridge Estuary were studied during September 15th - 19th, 1987. The area was mapped using a combination of echo soundings and observations by divers. Data on species and biotope recorded and entered onto Marine Recorder. Species data and biotope data mapped as points using MapInfo. Includes Salcombe1 electronic data in the form of a Word document report..

Example 4

Conductivity, Temperature, Depth (CTD) grid survey in the Irish Sea undertaken in August 1981. Only temperature profiles due to conductivity sensor malfunction.

Element 4 - Resource type (M)

Mandatory element. One occurrence allowed. Controlled vocabulary.

Identify the type of resource using the controlled vocabulary, MD_ScopeCode from ISO 19115. (See Annex C of full v3.1 guidance document for code list). The resource type shall be a dataset, a series (collection of datasets with a common specification) or a service. In the vast majority of cases for MEDIN the resource type will be a dataset or a series. Further information on the difference between a dataset and a series and the definition of a service is available at <http://www.medin.org.uk/medin/data/faqs>.

Example

series

Element 31 – Hierarchy level name (C)

**Conditional element (shall be completed when Resource type is not “dataset”).
Single occurrence allowed. Free text.**

This is the name of the hierarchy level for which the metadata is provided. It should be used in conjunction with Resource type to provide users with information on the hierarchy of data within the resource.

Example 1

series

Example 2

service

Element 5 - Resource locator (C)

Conditional element (shall be completed when online access is available). Multiple occurrences allowed. Free text.

Formerly named online resource. If the resource is available online you must provide a web address (URL) that links to the resource. If there is no online access to the resource but there is a publicly available online resource providing additional information about the described resource, a link to this information resource should be provided instead. This element should be used to provide the URL of any Digital Object Identifier (DOI) landing page(s) for the data resource.

Sub Element 5.1 - Resource locator URL (C)

Conditional element (must be completed if known). URL (web address).

The URL (web address) including the http://

Sub Element 5.2 - Resource locator name (O)

Optional element. Free text.

The name of the web resource.

Sub Element 5.3 - Resource function (O)

Optional element. Controlled vocabulary from ISO CI_OnlineFunctionCode. See Annex L (in full v3.1 guidance document).

Code for the function performed by the online resource. If the element is being populated for a DOI, the code shall be ‘information’.

Sub Element 5.4 - Resource locator description (C)

Conditional element. Free text.

A detailed text description of what the online resource is or does. This element shall be populated for datasets and series metadata if ‘Resource locator name’ is unavailable. For

services, it shall be populated if the service is an invocable spatial data service. Otherwise, population of this sub-element is optional.

Example 1

Resource locator URL:

<http://www.defra.gov.uk/marine/science/monitoring/merman.htm>

Resource locator name: The Marine Environment National Monitoring and Assessment Database

Resource locator function: download

Example 2

Resource locator URL:

<https://doi.org/10.5285/481720C2-35BD-6C10-E053-6C86ABC06BB3>

Resource locator name: An improved database of coastal flooding in the United Kingdom from 1915 to 2016

Resource locator function: information

Resource locator description: URL accesses a landing page (at the British Oceanographic Data Centre) for the UK database of coastal flooding from 1915 to 2016, allowing interested parties to download the data anonymously.

Element 6 - Unique resource identifier (C)

Mandatory element for datasets and series of datasets, not applicable to services⁴. Multiple occurrences allowed. Free text.

A Unique Resource Identifier allows a resource to be identified by a code. This code is generally assigned by the data owner and commonly consists of the organisation that manages the dataset and a number or code which is used to uniquely identify it within the databases of the organisation. If this code is unique then it is possible for an organisation to identify a dataset that a 3rd party may be referring to and also to quickly identify where dataset records may be duplicated in a portal.

The two parts to the element can either be provided separately as a code + a codespace or combined as 1 code. MEDIN recommends the use of code + a codespace as shown in example 1. Preferably the www address of the organisation should be given rather than the organisation acronym or name. *The code and the codespace should not include any spaces.* If you are unable to generate a Unique Identifier Code please contact medin.metadata@mba.ac.uk and we will generate a code for you or endeavour to provide a tool to generate your own codes.

Where present, a resource DOI should be recorded as a resource identifier, with the code reflecting the DOI and codespace being 'doi'.

Sub Element 6.1 - Code (M)

Mandatory sub-element (for datasets and series of datasets and also for services if

⁴ See Element 4 resource type for definition of a 'service'

element population is desired). One occurrence allowed. Free text.

A unique identification code for the resource. Where a DOI is being provided as a resource identifier, this code should be the DOI string. For DOIs, the resource needs to be encoded with an xlink anchor to the URL of the doi landing page.

Sub Element 6.2 - Code Space (O)

Optional sub-element. One occurrence allowed. Free text.

This sub element is the authority that guarantees that the Sub element 6.1. 'Code' given is unique within its management system. For INSPIRE compliance, this should be the internet domain of the data owner/provider. Where a DOI is being provided as a resource identifier, this code space should be the text string 'doi'.

Example 1

Code: 5639287

Codespace: <http://www.bodc.ac.uk>

Example 2

Code: <http://www.bodc.ac.uk/5639287>

Example 3

Code: doi:10.5285/481720c2-35bd-6c10-e053-6c86abc06bb3

Codespace: doi

Element 7 - Coupled resource (C)

Conditional element. Not applicable to datasets or series. Mandatory for View and Download services, optional for other service types. Multiple occurrences allowed. Free text.

This identifies the data resource(s) on which the service operates. Each occurrence shall be a URL that points to the metadata record of the data on which the service operates

Example

https://portal.medin.org.uk/portal/start.php#details?tpc=006_00806134608655879d57842c8138b1ff

Element 8 - Resource language (C)

Conditional element. Mandatory for datasets and series, not applicable to services⁵. Multiple occurrences allowed. Controlled vocabulary, ISO 639-2.

Describes the language(s) of any textual information contained within the resource.

Select the relevant 3-letter code(s) from the ISO 639-2 code list of languages. Additional

⁵ See Element 4 resource type for definition of a 'service'

languages may be added to this list if required. A full list of UK language codes is listed in Annex D of full v3.1 guidance document and a list of recognized languages available online http://www.loc.gov/standards/iso639-2/php/code_list.php.

For Welsh, ISO 639-2 allows either of 'cym' or 'wel', but MEDIN recommend that 'cym' is used as this is the abbreviation of the language's own name for itself. This follows guidance from GEMINI.

If there is no textual information in the data resource, then the code value **zxx** from ISO 639-2/B for 'no linguistic content; not applicable' shall be used.

Example 1

eng (English)

Example 2

cym (Welsh)

5. Elements classifying spatial data and services

Element 9 - Topic category (C)

Conditional element. Mandatory for datasets and series of datasets. This element is not required if a service⁶ is being described. Multiple occurrences allowed.

Controlled vocabulary.

This indicates the main theme(s) of the data resource. The purpose of this element is to provide a basic classification for the data resource, for use in initial searches. The relevant topic category/categories shall be selected from the ISO MD_TopicCategory list. The full list can be found in Annex E of the full v3.1 guidance document or viewed in controlled vocabulary library P05 on the NVS2 Vocabulary Server

https://www.bodc.ac.uk/resources/vocabularies/vocabulary_search/P05/.

MEDIN have mapped the MEDIN keywords (see element 11) to the ISO Topic Categories, so it is possible to generate the topic categories automatically once MEDIN keywords have been selected from the SeaDataNet Parameter Discovery Vocabulary (P02)

https://www.bodc.ac.uk/data/codes_and_formats/vocabulary_search/P02/.

Example 1

biota

Example 2

oceans

Element 10- Spatial data service type (C)

Conditional element. Mandatory if the described resource is a service⁷. Not applicable to datasets or series. One occurrence allowed. Controlled vocabulary, INSPIRE Service type code list

An element required by INSPIRE for metadata about data services e.g. web services. If a service is being described (from Element 4) it must be assigned a service type from the INSPIRE Service type code list. See Annex F of the full v3.1 guidance document for list.

Example

Download

Element 32 – Spatial representation type (C)

Conditional element. Mandatory for datasets and series of datasets. This element is not required if a service⁸ is being described. Multiple occurrences allowed.

⁶ See Element 4 resource type for definition of a 'service'

⁷ See Element 4 resource type for definition of a 'service'

Controlled vocabulary, subset of MD_SpatialRepresentationTypeCode from ISO 19115

This element describes the method used to spatially represent geographic information. The type in which the spatial data is represented may be of importance when evaluating the fit for purpose of the datasets.

This element is regarded by the INSPIRE metadata technical guidance as interoperability metadata for datasets and series. The element shall be populated with one or more of a subset of codes from MD_SpatialRepresentationTypeCode that most appropriately describe(s) the resource. See Annex M of the full v3.1 guidance document for list.

Example

grid

Element 11 - Keywords (M)

Mandatory element. Multiple keywords allowed. Controlled vocabularies.

The purpose of this element is to indicate the general subject area(s) of the data resource using key words. This enables searches to eliminate resources that are of no interest to users.

Keywords should be chosen using the code list options given below. OAI harvesting keywords should be linked to the data resource as described below if the metadata record is being submitted to MEDIN and to data.gov.uk.

In addition, if a spatial data service is being described, then a keyword defining the category or subcategory of the service using its language neutral name as defined in Part D 4 of the Metadata Implementing Rules shall be given.

The entry shall consist of two sub-elements: the keywords and reference to the controlled vocabulary used as shown in the sub elements below.

INSPIRE keywords (M)

MEDIN require at least one INSPIRE theme keyword as this ensures INSPIRE compliance.

A list of the INSPIRE theme keywords is available in Annex J of the full v3.1 guidance document. This list is also available at

http://www.eionet.europa.eu/gemet/inspire_themes or library P22 in the NVS2 Vocabulary Server https://www.bodc.ac.uk/data/codes_and_formats/vocabulary_search/P22/.

MEDIN Keywords (C)

The contents of the dataset shall be described using the SeadataNet Parameter Discovery Vocabulary (P02), unless there are no applicable terms in the list. This improves the discoverability of datasets by using terms related to the marine domain.

The P02 terms are available at

https://www.bodc.ac.uk/data/codes_and_formats/vocabulary_search/P02/. The parameter groups and codes that are used may also be searched hierarchically through a user friendly interface which has been built as part of the European funded SeaDataNet project at http://seadatanet.maris2.nl/v_bodc_vocab_v2/vocab_relations.asp?lib=P08.

Vertical Extent Keywords (C)

Element 11: 'vertical extent keyword' shall be populated only if Element 14: 'Vertical extent information' cannot be completed.

A vocabulary of keywords is available to describe the vertical extent of the resource (e.g. dataset). The vocabulary is available as library L13 (Vertical Coordinate Coverages) at https://www.bodc.ac.uk/data/codes_and_formats/vocabulary_search/L13/. It can also be seen in Annex J of the full v3.1 guidance document.

Other Keywords (O)

Keywords from other vocabularies may be used as required, as long as they follow the format specified in 11.1 – 11.2.3.

Take care that selected keywords do not duplicate information that is used to populate other Elements in the Profile e.g. selection of sea area keywords, which should go into Element 13: 'Extent'.

Keywords for services (C)

If a service is being described, the category or subcategory of the service shall be described using its language neutral name. This is defined in Part D 4 of the Metadata Implementing Rules which can be found at

<http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2008:326:0012:0030:EN:PDF> and the keyword vocabulary available at <http://inspire.ec.europa.eu/registry/>.

Making Metadata Available to the MEDIN portal and data.gov.uk via OAI, CSW and WAF

If XML files are being collected using the MEDIN harvesting process, an additional keyword is required to allow the discovery web service to distinguish MEDIN records. The required term to use in the XML fragment is NDGO0001 (from the N01 controlled vocabulary at https://www.bodc.ac.uk/data/codes_and_formats/vocabulary_search/N01/).

If you wish your discovery metadata records to also be made available to the UK Geoportal 'data.gov.uk' via MEDIN then you should include the additional term NDGO0005 i.e. Include both NDGO0001 and NDGO0005 in keywords to indicate a record will be published to both portals.

Sub Element 11.1 - Keyword value (M)

Mandatory element. Multiple occurrences allowed from each vocabulary. Controlled vocabulary.

Keyword from a formally registered controlled vocabulary/thesaurus or a similar authoritative source of keywords. Multiple keywords can be specified.

Sub Element 11.2 - Originating controlled vocabulary (M)

Mandatory element. Multiple controlled vocabularies allowed. Controlled vocabulary.

The controlled vocabulary that is the store for the keywords in the discovery metadata record. Multiple controlled vocabularies can be specified, to allow keywords to define the data resource in different subject areas.

Originating controlled vocabulary shall be defined through the following properties:

Sub sub Element 11.2.1 - Thesaurus name (M)

Mandatory element. Multiple occurrences allowed. Free text.

Name of the formally registered thesaurus or a similar authoritative source of keywords.

Sub sub Element 11.2.2 - Date type⁸ (M)

Mandatory element. Multiple occurrences allowed. Controlled vocabulary.

Select one of the following three values: Creation, Revision or Publication.

Sub sub Element 11.2.3 - Date (M)

Mandatory element. Multiple occurrences allowed. Date format, yyyy-mm-dd as in Section 2.1 Date and time formatting.

Date of creation, revision or publication as defined in 11.2.2 Date type.

Example 1

keywordValue: Fish taxonomy-related counts
keywordValue: Temperature of the water column
thesaurusName: SeaDataNet Parameter Discovery Vocabulary
dateType: revision
date: 2009-10-13

Example 2

keywordValue: upper_epipelagic
thesaurusName: SeaDataNet vertical coverage
dateType: Creation
date: 2006-11-15

Element 12 - Geographic bounding box (C)

Mandatory element for datasets and series, conditional for services on their being a defined extent for the service. Multiple occurrences of each sub-element allowed. Numeric and controlled vocabulary.

The purpose of this element is to record the geographic extent that is covered by the metadata resource. This extent range is recorded as one or more bounding boxes that have positional information expressed as decimal degrees longitude and latitude. A minimum of two decimal places shall be provided for each coordinate.

Multiple bounding boxes are acceptable and can be used to describe resources that have a disparate geographic coverage; each bounding box must only have one occurrence of the east, west, north and south sub-elements.

⁸ INSPIRE Metadata Implementing Rules: Technical Guidelines based on EN ISO 19115 and EN ISO 19119, 2009-02-18, Version 1.1, MD_IR_and_ISO_20090218 specify at least one of a date of publication of the vocabulary (Publication), date of creation of the vocabulary (Creation) or date of last revision of the vocabulary (Revision)

Latitudes between 0 and 90N, and longitudes between 0 and 180E should be expressed as positive numbers, and latitudes between 0 and 90S, and longitudes between 0 and 180W should be expressed as negative numbers.

In the event that a single point is being described, the east bounding longitude should equal the west bounding longitude, and the north bounding latitude and south bounding latitude should be equal.

The latitude and longitude of the bounding box(es) is implicitly in WGS84.

Sub element 12.1 - West bounding longitude (M)

Mandatory element. One occurrence allowed per bounding box. Numeric decimal (minimum 2 decimal places).

The western-most limit of the data resource.

Sub element 12.2 - East bounding longitude (M)

Mandatory element. One occurrence allowed per bounding box. Numeric decimal (minimum 2 decimal places).

The eastern-most limit of the data resource.

Sub element 12.3 - North bounding latitude (M)

Mandatory element. One occurrence allowed per bounding box. Numeric decimal (minimum 2 decimal places).

The northern-most limit of the data resource.

Sub element 12.4 - South bounding latitude (M)

Mandatory element. One occurrence allowed per bounding box. Numeric decimal (minimum 2 decimal places).

The southern-most limit of the data resource.

Example

westBoundingLongitude: -4.351

eastBoundingLongitude: -1.348

northBoundingLatitude: 52.949

southBoundingLatitude: 52.117

Element 13 - Extent (O)

Optional element. Multiple occurrences allowed. Numeric and controlled vocabulary.

This element defines the geographic extent of coverage of the data resource relative to a defined authority. Keywords should be selected from controlled vocabularies to describe the spatial extent of the resource. MEDIN strongly recommends the use of the SeaVoX salt and freshwater body gazetteer available as vocabulary C19 at https://www.bodc.ac.uk/data/codes_and_formats/vocabulary_search/C19/, which is a

managed vocabulary and has a worldwide distribution.

Other vocabularies available, including ICES areas and rectangles <http://vocab.ices.dk/>, or Charting Progress 2 regions, may be used as long as they follow the format specified in 13.1 – 13.2.3 (Charting Progress 2 regions are available as vocabulary C64 at https://www.bodc.ac.uk/data/codes_and_formats/vocabulary_search/C64/).

If populating Extent, the element shall be defined through the following properties:

Sub element 13.1 - Extent name (M)

Mandatory element. Multiple occurrences allowed. Controlled vocabulary.

Keyword describing the geographic extent of the resource from a formally registered thesaurus or a similar authoritative source of extents. Choose from a controlled vocabulary held on the MEDIN website <http://www.medin.org.uk/data-standards/controlled-vocabularies>. MEDIN recommends that this element be populated with the text description of the controlled vocabulary term, and that, when encoding the XML, the full URL of the code be stored as an XML xlink anchor (see example below).

Sub element 13.2 - Originating controlled vocabulary (M)

Mandatory sub-element. Multiple occurrences allowed. Free text.

Name of the formally registered thesaurus or a similar authoritative source of extents.

The controlled vocabulary for extent shall be defined through the following properties:

Sub sub element 13.2.1 - Thesaurus name (M)

Mandatory. Multiple occurrences allowed. Free text.

Title of vocabulary or thesaurus.

Sub sub element 13.2.2 - Date type (M)⁹

Mandatory. Multiple occurrences allowed. Controlled vocabulary.

Select one of the following three values: Creation, Revision or Publication.

Sub sub element 13.2.3 – Date (M)

Mandatory. Single instance per date type allowed. Date format, yyyy-mm-dd as in Section 2.1 Date and time formatting

Date of creation, revision or publication as defined in 13.2.2 Date type.

Example

This example includes multiple extents from different vocabularies.

```
extentName: Scotland  
vocabularyName: ISO3166 Countries  
dateType: Creation  
date: 2005-04-29
```

⁹ INSPIRE Metadata Implementing Rules: Technical Guidelines based on EN ISO 19115 and EN ISO 19119, 2009-02-18, Version 1.1, MD_IR_and_ISO_20090218 specify at least one of a date of publication of the vocabulary (Publication), date of creation of the vocabulary (Creation) or date of last revision of the vocabulary (Revision)

extentName: ICES Area IVb
vocabularyName: ICES Regions
dateType: Revision
date: 2006-01-01

extentName: Northern North Sea
vocabularyName: Charting Progress 2 regions.
dateType: Revision
date: 2008-09-01

extentName: North Sea
thesaurusName: IHO Sea Areas 1952
dateType: creation
date: 1952-01-01

Element 14 - Vertical extent information (C)

Conditional element. This element shall be filled in if the vertical coordinate reference system is known. Multiple occurrences allowed. Numeric free text and controlled vocabulary.

This element shall be filled in if the vertical Coordinate Reference System (CRS) is registered in the 'European Petroleum Survey Group (EPSG) database. <http://www.epsg-registry.org/>.

If you do not have the defined CRS you shall complete the vertical extent vocabulary defined in Element 11 – Keywords, to describe the vertical extent of the resource.

One of the elements '11: vertical extent keyword' or '14: vertical extent information' must be completed.

The vertical extent element has three sub-elements; the minimum vertical extent value, the maximum vertical extent value, and the coordinate reference system. Depth below sea water surface should be a negative number. Depth taken in the intertidal zone above the sea level should be positive. If the dataset covers from the intertidal to the subtidal zone then the sub element 14.1 should be used to record the highest intertidal point and 14.2 the deepest subtidal depth. Although the element itself is optional its sub-elements are mandatory if the field is filled.

For services, this element should be used to record the maximum vertical boundaries of all resources covered by the service.

Sub element 14.1 - Minimum Value (M)

Mandatory. One occurrence only. Numeric.

Record as positive or negative decimal number. The shallowest depth recorded if subtidal, or, if intertidal, the lowest point recorded.

Sub element 14.2 - Maximum Value (M)

Mandatory. One occurrence only. Numeric.

Record as positive or negative decimal number. The deepest depth recorded if subtidal, or if intertidal, the highest point recorded.

Sub element 14.3 - Vertical coordinate reference system (M)

Mandatory. One occurrence only. Controlled vocabulary.

This sub-element defines the vertical coordinate reference system of the minimum and maximum vertical extent values. The vertical coordinate reference system should be included by reference to the EPSG register of geodetic parameters (<http://www.epsg-registry.org/>).

In brief, to find a code click on the EPSG Geodetic Parameter Registry and if you know the title (e.g. WGS84) then type this in the 'Name' field and click search. The name, code and further information is displayed. If you are looking for a specific type of reference system such as 'vertical' then click in the 'Type' box, hover over coordinate reference system and click on vertical and then click the search button and all recorded vertical reference systems are shown. If you want to search for a reference system in a particular part of the world (e.g. Northern Ireland Grid) then you may do so by submitting a term to the 'Area' box or fill out the latitudes and longitudes then click search. The website also provides a database of the reference systems and web services to access the information. If the vertical coordinate reference system is not known or explicitly defined in the EPSG register then this element should not be completed and Element 11 should be filled out instead.

Example

minimumValue: 42

maximumValue: 94

verticalCoordinateReferenceSystem: urn:ogc:def:crs:EPSG::5701

Element 15 - Spatial reference system (M)

Mandatory element. Multiple occurrences allowed. Controlled vocabulary.

Describes the system of spatial referencing (typically a coordinate reference system (CRS)) used in the resource. This should be derived from the EPSG register of geodetic parameters (<http://www.epsg-registry.org/>).

To find a code click on the EPSG link above and if you know the title (e.g. WGS84) then type this in the 'Name' field and click search. The name, code and further information are displayed. If you are looking for a specific type of reference system such as 'vertical' then click in the 'Type' box, hover over coordinate reference system and click on vertical and then click the search button and all recorded vertical reference systems are shown. If you want to search for a reference system in a particular part of the world (e.g. Northern Ireland Grid) the you may do so by submitting a term to the 'Area' box or fill out the latitude and longitudes then click search. The website also provides a database of the reference systems and web services to access the information.

Sub element 15.1 - Code (M)

Mandatory element. Multiple occurrences allowed. Free text.

Provide a code that is a full and unambiguous definition of the CRS used in the resource. If referencing CRS definitions from the EPSG register, the full Uniform Resource Name (URN) of the CRS shall be supplied.

Sub element 15.2 - Originating controlled vocabulary (O)

Optional sub-element. Multiple occurrences allowed. Free text.

Name of the formally registered thesaurus or a similar authoritative source of extents.

Sub sub element 15.2.1 - Thesaurus name (M)

Mandatory. Multiple occurrences allowed. Free text.

Title of vocabulary or thesaurus.

Sub sub element 15.2.2 - Date type (M)¹⁰

Mandatory. Multiple date types allowed. Controlled vocabulary.

Select one of the following three values: Creation, Revision or Publication.

Sub sub element 15.2.3 – Date (M)

Mandatory. Single instance per date type allowed. Date format, yyyy-mm-dd as in Section 2.1 Date and time formatting

Date of creation, revision or publication as defined in 13.2.2 Date type.

Example 1 (for WGS84)

Code: urn:ogc:def:crs:EPSG::4326

Example 2 (for National Grid of Great Britain)

Code: urn:ogc:def:crs:EPSG::4277

Thesaurus name: EPSG Geodetic Parameter Registry

Date type: revision

Date: 2016-09-29

Element 16 - Temporal reference (M)

Mandatory element. Multiplicity as stated below. Controlled vocabulary and Date/Time format, yyyy-mm-dd or yyyy-mm-ddThh:mm:ss

The date of publication (i.e. the date at which the resource was made publicly available) is mandatory for datasets, series of datasets and services, and shall be provided. The temporal extent of the resource (e.g. the time period over which data were collected) is mandatory for datasets and series of datasets and shall be provided. Temporal extent should be provided for services where a temporal extent is relevant to the service. The date of last revision or date of creation for the resource may also be provided. One occurrence for each sub-element is allowed except for sub element 16.4 (Temporal extent) where multiple temporal extents are allowed to describe datasets and series which are temporally irregular.

¹⁰ INSPIRE Metadata Implementing Rules: Technical Guidelines based on EN ISO 19115 and EN ISO 19119, 2009-02-18, Version 1.1, MD_IR_and_ISO_20090218 specify at least one of a date of publication of the vocabulary (Publication), date of creation of the vocabulary (Creation) or date of last revision of the vocabulary (Revision)

Sub element 16.1 - Date of publication (M)

Mandatory. One occurrence allowed. Controlled vocabulary and Date/Time format, yyyy-mm-dd or yyyy-mm-ddThh:mm:ss

This describes the publication date of the resource and shall be populated. If the resource is previously unpublished please use the date that the resource was made publicly available via the MEDIN network. It is recommended that a full date including year, month and day is added, but it is accepted that for some historical resources only vague dates (year only, year and month only) are available.

Sub sub element 16.1.1 Date type (M)

Mandatory. One occurrence allowed. Controlled vocabulary

Select an option from 'creation', 'publication' or 'revision'. For Date of publication, select 'publication' from list.

Sub sub element 16.1.2 Date (M)

Mandatory. One occurrence allowed. Date/Time format, yyyy-mm-dd or yyyy-mm-ddThh:mm:ss as in Section 2.1 Date and time formatting

Populate with date or date and time of date type in element 16.1.1: yyyy-mm-dd or yyyy-mm-ddThh:mm:ss

Sub element 16.2 - Date of last revision (C)

Conditional. Complete if known. One occurrence allowed. Controlled vocabulary and Date/Time format, yyyy-mm-dd or yyyy-mm-ddThh:mm:ss

This describes the most recent date that the resource was revised. It is recommended that a full date including year, month and day is added.

Sub sub element 16.2.1 Date type (M)

Mandatory. One occurrence allowed. Controlled vocabulary

Select an option from 'creation', 'publication' or 'revision'. For Date of last revision, choose 'revision'.

Sub sub element 16.2.2 Date (M)

Mandatory. One occurrence allowed. Date/Time format, yyyy-mm-dd or yyyy-mm-ddThh:mm:ss as in Section 2.1 Date and time formatting

Populate with date or date and time of date type in element 16.2.1: yyyy-mm-dd or yyyy-mm-ddThh:mm:ss

Sub element 16.3 - Date of creation (C)

Conditional. Complete if known. One occurrence allowed. Controlled vocabulary and Date/Time format, yyyy-mm-dd or yyyy-mm-ddThh:mm:ss

This describes the most recent date that the resource was created. It is recommended that a full date including year, month and day is added.

Sub sub element 16.3.1 Date type (M)

Mandatory. One occurrence allowed. Controlled vocabulary

Select an option from 'creation', 'publication' or 'revision'. For Date of creation, select 'creation' from list.

Sub sub element 16.3.2 Date (M)

Mandatory. Date/Time format, yyyy-mm-dd or yyyy-mm-ddThh:mm:ss as in Section 2.1 Date and time formatting

Populate with date or date and time of date type in element 16.3.1: yyyy-mm-dd or yyyy-mm-ddThh:mm:ss

Sub element 16.4 - Temporal extent (C)

Mandatory for datasets and series; conditional for services where temporal extent is relevant to the service. Multiple occurrence(s) allowed for each of begin and end. Date or Date/Time format, yyyy-mm-dd or yyyy-mm-ddThh:mm:ss

This describes the start and end date(s) of the resource (e.g. dataset). The start date(s) is mandatory and the end date (s) should be provided if known (conditional). It is recommended that a full date including year, month and day is added, but it is accepted that for some historical resources only vague dates (year only, year and month only) are available.

Please note that encoding of begin and end for Temporal extent must include an identifier (see XML encoding example below). A UUID can be used, The identifier only needs to be unique in the scope of the metadata instance so a value that is understood by the metadata creator is acceptable.

Sub sub element 16.4.1 Begin (M)

Mandatory. Multiple occurrence(s) allowed. Date format, yyyy-mm-dd or yyyy-mm-ddThh:mm:ss as in Section 2.1 Date and time formatting

Start of temporal extent.

date or date and time: yyyy-mm-dd or yyyy-mm-ddThh:mm:ss

Sub sub element 16.4.2 End (C)

Conditional. Multiple occurrence(s) allowed. Date format, yyyy-mm-dd or yyyy-mm-ddThh:mm:ss as in Section 2.1 Date and time formatting

End of temporal extent. If the resource that you are describing is ongoing then use the encoding as described in the relevant example below. End may be left blank to indicate uncertainty.

date or date and time: yyyy-mm-dd or yyyy-mm-ddThh:mm:ss

Example 1

dateType: creation

date: 2008-05-12T12:34:09 (date and time provided)

Example 2

dateType: revision

date:2008-05-12 (full date provided)

Example 3

dateType: publication

date:1952-06 (month and year provided, but no day)

Example 4

dateType: creation

date: 1899 (only year provided).

Example 5

dateType: temporalExtent

date: begin: 1980-01-01 end: 1990-03-01

6. Elements describing data quality

Element 17 - Lineage (C)

Mandatory element for datasets or series of datasets. This Element is not required if a service¹¹ is being described. One occurrence allowed. Free text.

The purpose of this element is to record information about the events or source data used in the construction of the data resource.

Lineage includes the background information, history of the sources of data used and can include data quality statements. The lineage element should include information about: source material; data collection methods used; data processing methods used; quality control processes. Please indicate any data collection standards used. Apart from describing the process history, the overall quality of the dataset or series should be included in the Lineage metadata element. This statement should contain any quality information required for interoperability and/or valuable for use and evaluation of the dataset or series. Acronyms should be expanded to their full text the first time they are mentioned in the Lineage element. The abbreviated version of the term can be used from then onwards.

Although not required for describing a service, MEDIN recommend that this element is populated with information about the creation of the service and the data used to generate the service.

[Element 19. Additional information](#) should be used to record relevant references to the data e.g. reports, articles, website.

Example 1

This dataset was collected by the Fisheries Research Services and provided to the British Oceanographic Data Centre for long term archive and management.

Example 2 (no protocols or standards used)

Forty 0.1m² Hamon grab samples were collected from across the region, both within and beyond the extraction area, and analyzed for macrofauna and sediment particle size distribution in order to produce a regional description of the status of the seabed environment. Samples were sieved over a 1mm mesh sieve. In addition, the data were analyzed in relation to the area of seabed impacted by dredging over the period 1993-1998. Areas subject to 'direct' impacts were determined through reference to annual electronic records of dredging activity and this information was then used to model the likely extent of areas potentially subject to 'indirect' ecological and geophysical impact.

Example 3: (collected using protocols and guidelines)

Data was collected using the National Marine Monitoring Programme (NMMP) data collection, processing and Quality Assurance Standard Operating Procedures (SOPs) and complies with MEDIN data guidelines.

Example 4

¹¹ See Element 4 Resource type for definition of a 'service'

Survey data from Marine Nature Conservation Review (MNCR) lagoon surveys were used to create a GIS layer of the extent of saline lagoons in the UK that was ground-truthed using 2006-2008 aerial coastal photography obtained from the Environment Agency and site visits to selected locations.

Example 5

The Nutrients General Quality Assessment (GQA) described quality in terms of two nutrients: nitrates (mg NO₃ /l) and phosphates (mg P/l) and graded from 1 to 6. Grades were allocated for both phosphate and nitrate; they were not combined into a single nutrients grade. There were no set 'good' or 'bad' concentrations for nutrients in the way that we describe chemical and biological quality. Locations in different parts of the country have naturally different concentrations of nutrients. 'Very low' nutrient concentrations, for example, are not necessarily good or bad; the classifications merely stated that concentrations in this location were very low relative to other sampling areas.

Classification for phosphate Grade limit (mgP/l) Average Description: 0.02 to 0.06 Low >0.06 to 0.1 Moderate >0.1 to 0.2 High >0.2 to 1.0 Very high >1.0 Excessively high

Classification for nitrate Grade limit (mg NO₃/l) Average Description: 5 to 10 Low >10 to 20 Moderately low >20 to 30 Moderate >30 to 40 High >40 Very high.

Element 18 - Spatial resolution (C)

Conditional for datasets and series where a resolution distance or scale can be specified, not applicable to services. Multiple occurrences allowed. Numeric (positive number).

Provides an indication of the spatial resolution of the data resource or the spatial limitations of the service. This element should only be populated if the distance or equivalent scale can be specified.

For services, spatial resolution cannot be encoded in the ISO 191939 XML Schema that this MEDIN Standard adheres to. Therefore, spatial resolution of services shall be recorded in the Abstract where necessary. Spatial resolution for services shall refer to the spatial resolution of the datasets/series that the service operates on.

Sub Element 18.1- Distance (C)

Conditional for datasets and series where a resolution distance can be specified. Multiple occurrences allowed. Numeric (positive number).

MEDIN requires that you shall provide the average distance (i.e. resolution) between sampling locations in metres, where this is possible. For example, if a dataset was composed of a grid of stations that have an average distance between stations of 2 km then 2000 metres should be recorded.

In the case of a multi-beam survey, the distance in metres should be the average distance between each sounding or 'ping' on the sea bed. For transect data such as an intertidal beach survey or a single beam echo sounder survey the resolution should be taken as the distance in metres between the transect lines.

For single samples and observational data MEDIN recommends using 'not applicable' which may be encoded as shown in the last example below.

For high resolution datasets, sub-metre precision using decimals is allowed e.g. 0.5 m.

Sub Element 18.2 - Equivalent scale (O)

Optional. Multiple occurrences allowed. Numeric (positive whole number).

Where the data being described in the resource is captured from a map, the scale of that map should be recorded. Spatial resolution should only be expressed by equivalent scale where a distance cannot be determined.

Example 1 (distance)

distance:10
units: metres

Example 2 (equivalent scale)

5000

Element 19 - Additional information (O)

Optional element for datasets or series of datasets. This Element is not required if a service¹² is being described. Single occurrence allowed. Free text.

The purpose of this element is to record relevant information that does not clearly belong in another element. This may be a reference to a web location that provides valuable information, through a URL, a document reference or a Digital Object Identifier (DOI) that points to a referencing service or landing page for an information source

Information about access to the resource should not be in this element, but should be provided in Element 5 'Resource Locator'.

Information about licencing or fees should be provided in Element 20 'Limitations on public access'.

Example 1

Malthus, T.J., Harries, D.B., Karpouzli, E., Moore, C.G., Lyndon, A.R., Mair, J.M., Foster-Smith, B., Sotheran, I. and Foster-Smith, D. (2006). Biotope mapping of the Sound of Harris, Scotland. Scottish Natural Heritage Commissioned Report No. 212 (ROAME No. F01AC401/2).

Example 2

<http://www.cefas.co.uk/publications/files/datarep42.pdf>

Example 3

doi:10.1111/jbi.12708

¹² See Element 4 Resource type for definition of a 'service'

7. Elements relating to data usage

Element 20 - Limitations on public access (M)

Mandatory element. One occurrence allowed. Controlled vocabulary and free text.

This element describes any restrictions imposed on accessing the resource for security and other reasons. Please provide information on any limitations to access of resource and the reasons for them. If different parts of the resource have different access constraints, generate occurrences for each.

Sub element 20.1 – Access Constraints (M)

Mandatory. One occurrence allowed. Controlled vocabulary.

This shall be recorded as 'otherRestrictions' from ISO vocabulary RestrictionCode (see Annex G of full v3.1 guidance document). This is an INSPIRE/GEMINI requirement.

Sub element 20.2 – Other Constraints (M)

Mandatory. Multiple occurrences allowed. Free text.

Record any limitations on access to the resource. If there are no limitations on public access, this shall be indicated by 'no limitations'. One free text entry shall be encoded in a gmX:Anchor element, with xlink:href pointing to the relevant choice of limitation from the INSPIRE Metadata registry: <http://inspire.ec.europa.eu/metadata-codelist/LimitationsOnPublicAccess>. If a part of the resource has a specific limitation, make this clear in the text.

Additional free text entries do not need to be encoded with a gmX:Anchor and do not need to reference the INSPIRE Metadata registry.

Example 1

accessConstraints: otherRestrictions
otherConstraints: No restrictions to public access

Example 2

accessConstraints: otherRestrictions
otherConstraints: Restricted public access due to sensitive species, only available at 10km resolution.

Example 3

accessConstraints: otherRestrictions
otherConstraints: no limitations

Element 21 - Conditions applying for access and use (M)

Mandatory element. One occurrence allowed. Controlled vocabulary and free text.

This element provides information on any constraints on using the resource. Any known constraints such as licensing, fees, usage restrictions should be identified. If different parts of the resource have different use constraints, generate occurrences for each.

Conditions for access and use are different from Limitations on public access which describe limitations on access to the data. A data resource can have open access (e.g. to look at it), but restricted use.

Sub element 21.1 – Use Constraints (M)

Mandatory. One occurrence allowed. Controlled vocabulary.

This shall be recorded as 'otherRestrictions' from ISO vocabulary RestrictionCode (see Annex G of full v3.1 guidance document). This is an INSPIRE/GEMINI requirement.

Sub element 21.2 – Other Constraints (M)

Mandatory. Multiple occurrences allowed. Free text.

Record any constraints on use of the data described in the resource here. Multiple conditions can be recorded for different parts of the data resource. If no conditions apply, then "no conditions apply" should be recorded.

If there is a formal licence title, that should be supplied along with, if available, a licence URL.

Example 1

Data is freely available for research or commercial use providing that the originators are acknowledged in any publications produced.

Example 2

Data is freely available for use in teaching and conservation but permission must be sought for use if the data will be reproduced in full or part or if used in any analyses.

Example 3

Not suitable for use in navigation.

Element 22 - Responsible party (M)

Mandatory element. This shall include a minimum of organisation name and email address. Multiple occurrences are allowed for some responsible party roles. Free text and controlled vocabulary.

Provides a description of an organisation or person who has a role for the resource. MEDIN mandates that the roles of 'Originator', 'Custodian' (data holder), 'Distributor', 'Metadata point of contact' and 'Owner' shall be entered. Other types of responsible party may be specified from the controlled vocabulary (see Annex H of full v3.1 guidance document, INSPIRE registry¹³ or ISO Codelist CI_RoleCode¹⁴ for code list) if desired.

¹³ <http://inspire.ec.europa.eu/metadata-codelist/ResponsiblePartyRole>

If the data has been lodged with a MEDIN approved Data Archive Centre (DAC) then the DAC shall be specified as the Custodian.

Please refer back to Section 2. Data Discoverability so that the full implications of supplying personal data are understood before populating Element 22.

Sub element 22.1 - Originator (M)

Mandatory element. This shall include a minimum of person/organisation name and email address. Multiple occurrences allowed.

Person(s) or organisation(s) who created the resource. This sub element should give details for the person or organisation who collected or produced the data. For example, if MEConsulting have been contracted to do an EIA of a wind farm site by 'Greeny Energy Ltd' then MEConsulting are the Originator. It should not be used to record who 'owns' the data as that information is recorded under Sub element 22.5.

Sub element 22.2 - Custodian (M)

Mandatory element. This shall include a minimum of person/organisation name and email address. Multiple occurrences allowed.

Person(s) or organisation(s) that accept responsibility for the resource and ensures appropriate care and maintenance. If a dataset has been lodged with a Data Archive Centre for maintenance then this organisation should be entered. If the organisation who owns the data or service continues to accept responsibility for it then they should also be stated here.

Sub element 22.3 - Distributor (M)

Mandatory element. This shall include a minimum of person/organisation name and email address. Multiple occurrences.

Person(s) or organisation(s) that distributes the resource.

Sub element 22.4 - Metadata point of contact (M)

Mandatory element. This shall include a minimum of person/organisation name and email address. One occurrence allowed.

Person or organisation with responsibility for the creation and maintenance of the metadata for the resource.

Sub element 22.5 - Owner (M)

Mandatory element. This shall include a minimum of person/organisation name and email address. Multiple occurrences allowed.

Person or organisation that owns the resource.

The sub sub-elements for describing each responsible party entry are as follows;

¹⁴ <http://www.isotc211.org/2005/resources/Codelist/gmxCodetlists.xml>

Sub sub element 22.0.1 - Job Position (O). One occurrence only per role in 22.0.8. Free text.

The position of the person within the organisation who holds or held the Responsible Party role being described. Do not identify an individual by name, as this is subject to change without warning and the information is impossible to keep up-to-date.

Sub sub element 22.0.2 - Organisation name (M) One occurrence only per role in 22.0.8. Controlled vocabulary or free text.

Where an organisation is given, this shall be taken from the European Directory of Marine Organisations (<http://seadatanet.maris2.nl/edmo/>). In the event that an organisation name is not in that directory then please contact enquiries@medin.org.uk who will add it.

Where possible an organisation should be cited and **only** when this is impossible should Individual Name be used instead.

Sub sub element 22.0.3 - Postal address (O). One occurrence allowed per role in 22.0.8. Free text.

The full formal postal address (as defined for example by Royal Mail) should be given, including the postcode.

Sub sub element 22.0.4 - Telephone number (O). One occurrence allowed per role in 22.0.8. Numeric

Where possible a generic rather than individual telephone number should be used e.g. the organisational switchboard or a helpdesk number.

Sub sub element 22.0.5 - Email address (M). One occurrence allowed per role in 22.0.8. Free text.

Where possible a generic rather than an individual email should be used e.g. the organisation's enquiries email address.

Sub sub element 22.0.6 – Web address (O). One occurrence allowed per role in 22.0.8. Free text.

Where possible a valid World Wide Web address for the organisation should be given.

Sub sub element 22.0.8 - Responsible party role (M). Multiple occurrences allowed. Controlled vocabulary, ISO responsible party code list CI_RoleCode .

Populate for 'metadata point of contact', 'distributor', 'originator', 'custodian' and 'owner'. Other roles can be populated if desired using the codelist in Annex H of the full v3.1 guidance document.

Examples

Distributor:

JobPosition: DASSH Data officer

OrganisationName DASSH

PostalAddress: The Laboratory, Citadel Hill, Plymouth PL4 8SR

TelephoneNumber: 01752 633291

EmailAddress: dassh.enquiries@mba.ac.uk

WebAddress: <http://www.dassh.ac.uk>

ResponsiblePartyRole: distributor

Data point of contact:

JobPosition: Marine officer
OrganisationName: Joint Nature Conservation Committee (JNCC)
PostalAddress: City Road, Peterborough, PE1 1JY,
TelephoneNumber: 01733 562626
EmailAddress: marine.teamexample@jncc.gov.uk
WebAddress: <http://jncc.defra.gov.uk>
ResponsiblePartyRole: pointOfContact

Originator:

OrganisationName: SeaZone Solutions
EmailAddress: info@seazone.com
ResponsiblePartyRole: Originator

Metadata point of contact:

JobPosition: BODC Enquiries Officer
EmailAddress: enquiries@bodc.ac.uk
TelephoneNumber: 01517954912
ResponsiblePartyRole: pointOfContact

Owner:

JobPosition: Operations Director
OrganisationName: Oceanwise Ltd
EmailAddress: info@oceanwise.eu
TelephoneNumber: 01420768262
ResponsiblePartyRole: owner

Element 23 - Data format (C)

Mandatory for datasets and series, not applicable to services¹⁵. Multiple occurrences are allowed. Controlled vocabulary.

Indicate the formats in which digital data can be provided for transfer. MEDIN have defined a controlled vocabulary which is M01 'MEDIN data format categories' and is available at https://www.bodc.ac.uk/resources/vocabularies/vocabulary_search/M01/ or which can be seen in Annex K of the full v3.1 guidance document. One or more terms from this controlled vocabulary shall be used for the sub element 'name of format'. Sub element 'version' shall be populated with information about the version of the resource format(s) if known, and 'unknown' if no information is available.

Sub Element 23.1 - Name of format (M)

Mandatory element. Single occurrence for each format type. Controlled vocabulary.

Give title of term from controlled vocabulary M01.

¹⁵ See Element 4 resource type for definition of a 'service'

Sub Element 23.2 - Version (M)

Mandatory element. Single occurrence for each format type. Free Text

Populate with version information about the format of the resource. If no version information is available, populate with 'Unknown'

Example 1

name:Database
version:Unknown

Example 2

name: Network Common Data Form
version: CF 1.6

Element 33 – Character encoding (C)

Conditional for datasets and series of datasets, not applicable to services¹⁶. Multiple occurrences are allowed. Controlled vocabulary.

This describes the character encoding used in the dataset. It shall be populated if an encoding is used that is not based on UTF-8, otherwise it is optional.

Select all applicable character encodings from ISO character set codelist (MD_CharacterSetCode). The full code list is presented in Annex N of the full v3.1 guidance document, or can be found in library G09 on the NVS2 Vocabulary Server https://www.bodc.ac.uk/data/codes_and_formats/vocabulary_search/G09/

Example 1

8859part1

Example 2

utf8

Element 24 - Frequency of update (C)

Mandatory for datasets and series of datasets, Conditional for services where frequency of update is relevant to the service. One occurrence allowed. Controlled vocabulary.

This describes the frequency that the resource (dataset) is modified or updated and shall be included if known. For example if the dataset is from a monitoring programme which samples once per year then the frequency is annually. Select one option from ISO frequency of update codelist (MD_MaintenanceFrequencyCode codelist). The full code list

¹⁶ See Element 4 resource type for definition of a 'service'

is presented in Annex I of the full v3.1 guidance document, or can be found in library G17 on the NVS2 Vocabulary Server
https://www.bodc.ac.uk/data/codes_and_formats/vocabulary_search/G17/

Example 1

monthly

Example 2

annually

8. Elements relating to Conformity

Element 25 – Conformity (M)

Mandatory element. Multiple occurrences allowed. Free text, controlled vocabulary and date.

This element specifies if the dataset or service being described is conformant with other specifications such as the INSPIRE data specifications or MEDIN data guidelines. There are 3 sub-elements which give the title of the specification, the degree of conformity (if it is or not conformant) and an explanation which gives further details of how conformant it is or any other useful information for the user. Conformity can be assessed with respect to more than one specification.

Dataset, series and metadata for services shall always include one Conformity occurrence that references an INSPIRE specification. This reference shall be present, even if it is to indicate that the data resource is non-conformant to the quoted INSPIRE specification.

Other occurrences, referencing either INSPIRE or other specifications, can be populated as part of the same metadata record.

The list of MEDIN data guidelines can be found in library C48 on the NVS2 Vocabulary Server at https://www.bodc.ac.uk/data/codes_and_formats/vocabulary_search/C48/

Sub element 25.1 - Specification (M)

Mandatory element. Single occurrence per specification. Free text, controlled vocabulary and date.

Give the citation of the specification or user requirement against which data resource is evaluated.

Sub sub element 25.1.1 - Title (M)

Mandatory. One occurrence only. Free text.

Title of specification that the data resource is being evaluated against.

Sub sub element 25.1.2 - Date type (M)

Mandatory. One occurrence only. Controlled vocabulary.

Type of date of the specification¹⁷. Choose from 'publication', 'revision' or 'creation' to reflect date of specification, revision date etc. MEDIN recommend use of 'publication' date rather than revision or creation.

Sub sub element 25.1.3 - Date (M)

Mandatory. One occurrence only. Date format, yyyy-mm-dd as in Section 2.1 Date and time formatting

Date format for date type specified in element 25.1.2. yyyy-mm-dd

Sub element 25.2 - Degree of conformity (M)

Mandatory element. Single occurrence per specification. Controlled vocabulary

¹⁷ See Element 11.2.2 for definition of Date type

This element identifies the conformity of the data resource to a specification cited in 25.1.1. The values shall be one of either:

True – select this to indicate that the resource conforms to the specification in 25.1.1

False – select this to indicate that the resource is not conformant to the specification in 25.1.1

Sub element 25.3 - Explanation (M)

Mandatory element. Single occurrence per specification. Free Text.

This provides meaning of the conformance statement in 25.2 for this degree of conformance result. It should include a statement about which (if any) aspects of the specification the data resource conforms and any exceptions.

Example 1

D2.8.I.5 INSPIRE Data Specification on *Addresses* – Guidelines, publication, 2010-04-26

True

Only mandatory items included

Example 2

MEDIN Data Guideline for sediment sampling by grab or core for benthos, publication, 2009-07-29

True

All mandatory and conditional items were completed

9. Elements relating to metadata

File Identifier (M)

The file identifier is a code that is encoded in XML that is globally unique and remains with the same metadata record even if the record is edited or transferred between portals or tools. It is not therefore an actual element but part of the xml record. The file identifier can be used to identify and remove duplication of records in a portal if it is harvesting records from a wide range of sources. As such it is not an element of the metadata but is used to uniquely identify the metadata xml record (as opposed to the element Unique Resource Identifier which refers to the dataset, series or service itself).

The file identifier should be created either by the organisation generating metadata or by the tools from which the metadata record is generated. Applications that are used subsequently to edit the metadata shall not change the file identifier. MEDIN recommends the use of a 'Globally Unique Identifier' or GUID as the file identifier. It is a system generated 128-bit integer number used to identify resources (e.g. 79557726-b60a-4cf3-a8fd-9799c603d4dc). GUIDs can be generated from a variety of sources including internal PC systems and online resources such as <http://www.guidgenerator.com/online-guid-generator.aspx>

Element 26 - Metadata date (M)

Mandatory element. One occurrence allowed. Date format as in Section 2.1 Date and time formatting.

This describes the last date the metadata was updated on. If the metadata has not been updated it shall give the date on which it was created. This shall be provided as a date or date and time in the format:

yyyy-mm-dd or yyyy-mm-ddThh:mm:ss

Example 1

2008-05-12

Example 2

2008-05-12T09:09:09

Element 27 - Metadata standard name (M)

Mandatory element. One occurrence allowed. Free text.

This element is to identify the metadata standard used to create the metadata. Select one option from NERC Vocabulary Server code list M25 at https://www.bodc.ac.uk/data/codes_and_formats/vocabulary_search/M25/. For MEDIN discovery metadata profiles, it shall be populated with the text 'MEDIN'.

Example

MEDIN

Element 28 - Metadata standard version (M)

Mandatory element. One occurrence allowed. Free text

This element shall be populated with the version of the MEDIN Discovery Metadata Standard used to create the metadata record for the resource.

Example

3.1

Element 29 - Metadata language (M)

Mandatory element. One occurrence allowed. Controlled vocabulary.

Describes the language used in documenting the metadata.

This element should be used to indicate the main language used in populating the metadata for the resource. If a second language is used in some elements e.g. Alternative title, the main language should still be used to populate this element.

Select the relevant 3-letter code(s) from the ISO 639-2 code list of languages. Additional languages may be added to this list if required. A full list of UK language codes is listed in Annex D of the full v3.1 guidance document and a list of recognized languages is available online at http://www.loc.gov/standards/iso639-2/php/code_list.php.

For Welsh, ISO 639-2 allows either of 'cym' or 'wel', but MEDIN recommend that 'cym' is used as this is the abbreviation of the language's own name for itself. This follows guidance from GEMINI.

Example 1 (English)

eng

Example 2 (Welsh)

cym

Element 30 – Parent ID (O)

Optional element. One occurrence allowed. Free text.

This field holds the file identifier code of the series metadata record for which the dataset which is being described is part of. Therefore, this element allows links to be made between a dataset and a series (see <http://www.medin.org.uk/data/fags> for MEDINs definition of these terms). This will then allow the MEDIN portal to be able to find related

metadata records. For example, a large multidisciplinary project may be described as a 'series' and each of the themes of work will be described as 'datasets'. Using this field allows the user when viewing the series metadata to ask for the metadata records of all the datasets of each theme. Alternatively, a user may ask for all related records when viewing a dataset.

For services, this element should only be populated if the service that the metadata record is populated for consists of part of a larger set of services.

Example

79557726-b60a-4cf3-a8fd-9799c603d4dc